

White paper
March 2011

Sony Ericsson Zyló™ W20i, W20



Sony Ericsson
make.believe

Purpose of this document

Sony Ericsson product White papers are intended to give an overview of a product and provide details in relevant areas of technology.

Document history

Version		
April 2010	First released version	Version 1
May 2010	Second released version	Version 2
June 2010	Third released version	Version 3
March 2011	Fourth released version	Version 4

Sony Ericsson Developer World

For the latest Sony Ericsson technical documentation and development tools, go to www.sonyericsson.com/developer

This White paper is published by:

Sony Ericsson Mobile Communications AB,
SE-221 88 Lund, Sweden

www.sonyericsson.com

© Sony Ericsson Mobile Communications AB, 2009-2011. All rights reserved. You are hereby granted a license to download and/or print a copy of this document. Any rights not expressly granted herein are reserved.

Third released version (March 2011)
Publication number: 1238-5742

This document is published by Sony Ericsson Mobile Communications AB, without any warranty*. Improvements and changes to this text necessitated by typographical errors, inaccuracies of current information or improvements to programs and/or equipment, may be made by Sony Ericsson Mobile Communications AB at any time and without notice. Such changes will, however, be incorporated into new editions of this document. Printed versions are to be regarded as temporary reference copies only. Some features profiled in this White Paper may not be supported in all countries or regions.

*All implied warranties, including without limitation the implied warranties of merchantability or fitness for a particular purpose, are excluded. In no event shall Sony Ericsson or its licensors be liable for incidental or consequential damages of any nature, including but not limited to lost profits or commercial loss, arising out of the use of the information in this document.

Table of contents

Product overview	4
Sony Ericsson Zylo™ – Moonwalk to work	4
Facts – dimensions, weight, performance and networks	5
Full feature list – categorised list of features	7
Technologies in detail	9
Device-to-device communications (local)	9
Bluetooth™ wireless technology	9
Java™	10
Messaging	11
Provisioning (OMA CP, OMA DM)	12
Synchronisation (OMA DS, EAS)	12
Multimedia (audio and video)	13
Web browser	14
Trademarks and acknowledgements	15

Product overview

Sony Ericsson Zylo™ – Moonwalk to work

Breakdance at the bus stop. Rap in the rain. Let loose. Show your true music style with all your pop icons and hip hop legends on Sony Ericsson Zylo™ phone. Rich bass beats. Enhanced stereo sound. Cool styles for the Walkman™ player. Ready to rock? Pop in the earbuds, blast the music and spread some good vibes.

Find the band in the fitting room

Amazing voice. From the speaker in the fitting room. On the radio. Who is it? Get the answer with the TrackID™ application. Record and send to receive. Artist, title, album. Want it? Check out the PlayNow™ service* online. Or play more of the music you already have. Choose artist, album or genre, and Sony Ericsson Zylo™ phone creates the playlist for you.

Nothing to do? Tweet about it

Share the fun, the ordinary and the utterly boring. On Facebook™* or Twitter™*. Watch crazy corny classic clips on YouTube™. With friends in the mall or a stranger on the train. On the 2.6" large screen. Love to freeze moments? Dive into the unknown with camera and Google Maps™. Discover. Shoot. Then post the past in artistic stills on Picasa™ and Flickr®.

Make a music call

Bought a song? Dying to share it? Call someone. Play it in the background. Sing along. Or choose a background sound for a prank call. Traffic noise. Office sounds. Still at work? Sure. Then hang up and play Music Genie to your own music. Fight a friend. Move your feet. And dance your way to victory.



* This service may not be available in all markets.

Facts – dimensions, weight, performance and networks

Size	103 x 52 x 11.5 (16) mm
Weight	115 grams
Available colours	Jazz Black Chacha Silver Swing Pink
Main screen	
Colours	65,536 colour TFT
Resolution	240x320 pixels
Size (diagonal)	2.6 inches
Input mechanisms	
Text input	Zi
Motion sensor	Accelerometer
Memory	
Phone memory	Up to 260 MB
Memory card support	microSD™, up to 16 GB
Networks	
W20i	UMTS HSPA 900 (Band VIII), 2100 (Band I) GSM GPRS/EDGE 850, 900, 1800, 1900
W20	UMTS HSPA 2100 (Band I) GSM GPRS/EDGE 850, 900, 1800, 1900
Data transfer speeds	
GSM GPRS (Class 10 CS4)	Up to 80 kbps (download). Up to 40 kbps (upload)
GSM EDGE (Class 10 MCS9)	Up to 247 kbps (download). Up to 123 kbps (upload)
UMTS HSPA (cat. 5 upload)	Up to 2.0 Mbps
UMTS HSPA (cat. 8 download)	Up to 7.3 Mbps
Talk time (GSM)	4 hours *
Standby time (GSM)	339 hours *







* According to GSM Association Battery Life Measurement Technique.

Talk time (UMTS)	3 hours 30 min *
Standby time (UMTS)	403 hours *
Video call time	Up to 2 hours **
Music listening time	Up to 26 hours **
Battery	920 mAh

* According to GSM Association Battery Life Measurement Technique.

** Battery performance may vary depending on network conditions and configuration, and phone usage.

Full feature list – categorised list of features

 <p>Camera 3.2 megapixel camera 2x digital zoom Geo tagging Photo feeds Photo fix Send to web (photos and videos) Video recording</p>	 <p>Music Album art Automatic playlist creation Bluetooth™ stereo (A2DP) Clear bass Clear stereo PlayNow™ service* SensMe™ application Shake control TrackID™ application Walkman™ music player Walkman™ styles</p>	 <p>Web Access NetFront™ Web browser Bookmarks Google™ search Mouse pointer HTML 4.01 XHTML 1.1 Web feeds</p>
 <p>Communication Call list Conference calls Polyphonic ringtones Speakerphone Vibrating alert Video calling (main camera)</p>	 <p>Messaging Conversations Email Microsoft® Exchange Active-Sync® Instant messaging Picture messaging (MMS) Predictive text input Sound recorder Text messaging (SMS) Unified messaging</p>	 <p>Design Activity menu key Auto rotate Navigation key Picture wallpaper Wallpaper animation</p>

* This service is not available in all markets.



Entertainment

3D games
 Facebook™ application*
 FM radio with RDS
 Java™
 Media browser
 Music Call
 Music Genie
 Twitter™ application*
 Video streaming
 Video viewing
 WalkMate
 YouTube™*



Organiser

Alarm clock
 Calculator
 Calendar
 Flight mode
 Notes
 Phone book
 Stopwatch
 Tasks
 Timer



Connectivity

Bluetooth™ technology
 Google Maps™
 Modem
 Synchronisation
 USB mass storage
 USB High speed 2.0 support

* This service is not available in all markets.

Technologies in detail

NOTE: The information outlined below is general and levels of compliance to standards and specifications may vary between products and markets. For more information, contact Sony Ericsson Developers World or your Sony Ericsson contact person where applicable.

Device-to-device communications (local)

Bluetooth™ wireless technology

Bluetooth™ profiles supported	Advanced Audio Distribution Profile Audio/Video Remote Control Profile Basic Imaging Profile Dial-up Networking Profile File Transfer Profile Generic Access Profile Generic Object Exchange Profile Handsfree Profile Headset Profile Object Push Profile Personal Area Networking Profile Phonebook Access Profile Serial Port Profile Synchronisation Profile SyncML™ OBEX binding
Core version and supported features	2.1+EDR
Connectable devices	Interoperability and compatibility among Bluetooth™ devices varies. The device generally supports products utilising Bluetooth™ spec. 1.1, or higher, and at least one of the profiles above.

More information:

www.sonyericsson.com/developer

www.bluetooth.com

Java™

Java™ Platform, Micro Edition	JSR-75 PDA Optional Packages for J2ME™ JSR-82 Bluetooth™ Wireless Technology API JSR-118 MIDP 2.0 JSR-118 MIDP 2.1 JSR-120 Wireless Messaging API JSR-135 Mobile Media API 1.1 JSR-139 CLDC 1.1 JSR-172 J2ME™ Web Services Specification JSR-177 Security and Trust Services API for J2ME™ JSR-179 Location API JSR-180 SIP API for J2ME™ JSR-184 Mobile 3D Graphics API for J2ME™ JSR 185 Java™ Technology for the Wireless Industry JSR-205 Wireless Messaging API 2.0 JSR-211 Content Handler API JSR-226 SVG API for J2ME™ JSR-229 Payment API JSR-234 Advanced Multimedia Supplements JSR-238 Mobile Internationalization API JSR-239 OpenGL® ES JSR-248 Mobile Services Architecture JSR-256 Mobile Sensor API (Accelerometer) Nokia UI Extension API
Java 3D	MascotCapsule® Micro3D Version 3 JSR-239 OpenGL® ES JSR-184 Mobile 3D Graphics API for J2ME™

Messaging

(MMS) Multimedia Messaging Service

According to OMA Multimedia Messaging Service v1.2 + SMIL

Email

Bearer type (IP)	GSM Data (IP) GPRS and HSCSD
Character sets	USASCII UTF-7 UTF-8 UTF-16 UTF-17LE UTF-16BE UCS-2 / ISO10646 UCS2 ISO-8859-1 ISO-8859-2 Eastern Europe ISO-8859-5 Cyrillic ISO-8859-7 Greek ISO-8859-9 Turkish ISO-8859-10 Nordic ISO-8859-11 Thai ISO-8859-15 Western MR5 KOI8 GB18030 Simplified Chinese GB2312 Simplified Chinese BIG5 ISO2022JP Windows® 1251 Cyrillic Windows® 1252 Windows® 1254 Turkish Windows® 1255 Hebrew Windows® 1258 Vietnamese Shift JIS Note: GB2312 is available in Simplified Chinese variants only, that is, Mainland China variants. BIG5 is only available in Traditional Chinese variants, that is, Hong Kong and Taiwan variants.
OTA provisioning solution	OMA Client Provisioning 1.1
Protocols	POP3, SMTP and IMAP4
Push email	IMAP IDLE (extension of IMAP4 Rev1), OMA Email Notification 1.0 and scheduled checking, Microsoft® Exchange ActivSync® (EAS)
Secure email	SSL/TLS, both port methods (POPS/IMAPS) and START-TLS
HTML mail	Yes

More information: www.sonyericsson.com/developer, www.openmobilealliance.org

Provisioning (OMA CP, OMA DM)

OMA CP version 1.1

OMA DM version 1.2

Related information:

www.sonyericsson.com/developer

Synchronisation (OMA DS, EAS)

OMA Data Synchronisation protocol versions 1.1.2 and 1.2

OMA Data Formats: vCard 2.1, vCalendar 1.0, vBookmark 1.0, notes as text/plain

Microsoft® Exchange ActiveSync® protocol version 2.5

Related information

www.sonyericsson.com/developer

Multimedia (audio and video)

Audio Playback	Decoder format Audio decoding MPEG-1/2/2.5, audio layer 3 AAC, AAC+, eAAC+ AMR-NB WMA versions 2, 7, 8: Class 1 WMA version 9: Level 3 WMA Pro (profile M0a) General MIDI (GM) GML SP-MIDI DLS (Mobile DLS supported) Linear/A-law/-law PCM iMelody FLAC	Supported in file format MP3 (.mp3) 3GP (.3gp); AAC (.aac); MP4 (.mp4, .m4a) 3GP (.3gp); AMR (.amr) WMA (.wma) WMA (.wma) WMA (.wma) SMF (.mid) SMF (.mid) SMF (.mid); XMF (.xmf, .mxmf) XMF (.xmf) WAV (.wav) iMelody (.imy) FLAC (.flac)
Audio Recording	Encoder format AMR-NB AAC-LC	Supported in file format AMR (.amr) MP4 (.m4a)
Video Playback	Decoder format MPEG-4 Visual Simple Profile H.264 Baseline Profile H.263 Profile 0 VC-1 (WMV9)	Supported in file format 3GP (.3gp); MP4 (.mp4) 3GP (.3gp); MP4 (.mp4) 3GP (.3gp) ASF (.asf, .wmv)
Video Recording	Encoder format - Video: H.263 Profile 0 - Audio: AMR-NB - Video: MPEG-4 Visual Simple Profile - Audio: AAC-LC	Supported in file format 3GP (.3gp) MP4 (.mp4)
Audio/Video Streaming	Streaming transport	RTSP according to 3GPP™
DRM	DRM (Digital Rights Management) features the rights and copy protection of downloaded content.	OMA DRM 1.0, 2.0, 2.1 Microsoft® DRM Janus

Web browser

Browser version	Access NetFront™ 3.5
Bookmarks	Folders and sorting supported
Bookmark export/import	Bookmarks can be sent and received in vBookmark format using Bluetooth™ technology, SMS, MMS and email
Navigation/rendering	Pan & Zoom (page overview model) Landscape/portrait rendering Full page PC rendering
Search	Internet Search Find on page
Browser compliancy	HTML 5.0 Canvas HTML version 4.01 XHTML Basic version 1.0 XHTML version 1.1 XHTML Mobile Profile version 1.1 WML 1.3 CSS 2.1 WCSS Version 26-Oct-2001 ECMA-script 262 3rd edition ECMAScript Mobile Profile 1.0 HTTPXMLRequest AJAX DOM 2.0 SVG Tiny, version 1.2
Browser plugin	SVG-T Adobe™ Flash Lite™ Audio/Video
Web feeds	Feeds detection in Browser Feeds reader Podcasting
Web albums	Publish to Picasa™ site Publish to a social site Publish to a Blogger™ page Publish to a Flickr™ page
Protocol Compliancy	HTTP/1.1 TLS 1.0 and SSL 3.0 OMA Download 1.0 RSS 2.0

Related information: www.access-company.com/products/mobile_solutions

Trademarks and acknowledgements

The Liquid Identity and Liquid Energy logos, Sony Ericsson Zylo, PlayNow, TrackID and SensMe are trademarks or registered trademarks of Sony Ericsson Mobile Communications AB. Sony, "make.believe", Walkman and MEGA BASS are trademarks or registered trademarks of Sony Corporation. Media Go is a trademark or registered trademark of Sony Media Software and Services. Ericsson is a trademark of Telefonaktiebolaget LM Ericsson.

NetFront is a trademark or a registered trademark of ACCESS Co., Ltd. PictBridge is a trademark or registered trademark of Canon Kabushiki Kaisha Corporation. TrackID is powered by Gracenote™ Mobile MusicID™. Gracenote and Mobile MusicID are trademarks or registered trademarks of Gracenote, Inc. Bluetooth is a trademark or registered trademark of Bluetooth SIG Inc. and any use of such mark by Sony Ericsson is under license.

Google, Google Maps, YouTube, Picasa and Blogger are trademarks or registered trademarks of Google, Inc. Flickr is a trademark or registered trademark of Yahoo! Inc.

Wi-Fi is a trademark or registered trademark of the Wi-Fi Alliance. microSD is a trademark or registered trademark of SanDisk Corporation. Adobe Flash Lite is a trademark or registered trademark of Adobe Systems Incorporated in the United States and/or other countries.

Microsoft, Windows, Vista and ActiveSync are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

3GPP is a trademark or a registered trademark of ETSI. SyncML is a trademark or registered trademark of Open Mobile Alliance Ltd. Java and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

End-user license agreement for Sun Java™ J2ME™:

1. Restrictions: Software is confidential copyrighted information of Sun and title to all copies is retained by Sun and/or its licensors. Customer shall not modify, decompile, disassemble, decrypt, extract, or otherwise reverse engineer Software. Software may not be leased, assigned, or sublicensed, in whole or in part.
2. Export Regulations: Software including technical data, is subject to U.S. export control laws, including the U.S. Export Administration Act and its associated regulations, and may be subject to export or import regulations in other countries. Customer agrees to comply strictly with all such regulations and acknowledges that it has the responsibility to obtain licenses to export, re-export, or import Software. Software may not be downloaded, or otherwise exported or re-exported (i) into, or to a national or resident of, Cuba, Iraq, Iran, North Korea, Libya, Sudan, Syria (as such listing may be revised from time to time) or any country to which the U.S. has embargoed goods; or (ii) to anyone on the U.S. Treasury Department's list of Specially Designated Nations or the U.S. Commerce Department's Table of Denial Orders.
3. Restricted Rights: Use, duplication or disclosure by the United States government is subject to the restrictions as set forth in the Rights in Technical Data and Computer Software Clauses in DFARS 252.227-7013(c) (1) and FAR 52.227-19(c) (2) as applicable.

Wisepilot is a trademark of Appello Systems AB and its products are the property of Appello Systems AB and are protected against unauthorised use by trademark laws. Facebook is a trademark or registered trademark of Facebook, Inc. Twitter is a trademark or a registered trademark of Twitter, Inc. MascotCapsule is a registered trademark of HI CORPORATION in Japan.

All other trademarks and copyrights are the property of their respective owners.